

# WhatsApp Business Multi-Partner Solutions - Solution Reject API | Developer Documentation

## WhatsApp Business Multi-Partner Solutions - Solution Reject API

Copy for LLM

[View as Markdown](#)

Version

API for rejecting Multi-Partner Solution partnership requests or deactivation requests.

This endpoint allows solution partners to reject pending partnership requests or deactivation requests for Multi-Partner Solutions.

---

### POST /{Version}/{Solution-ID}/reject

Reject a pending partnership request or deactivation request for a Multi-Partner Solution. This endpoint allows solution owners to decline incoming requests and maintain control over their solution partnerships and lifecycle.

Use Cases:

Reject partnership requests from unauthorized or incompatible applications

Decline deactivation requests to keep solutions active

Maintain solution security and partnership quality

Control solution access and collaboration boundaries

Request Types:

`PARTNERSHIP_REQUEST`: Reject an incoming partnership request from another app

`DEACTIVATION_REQUEST`: Reject a request to deactivate the solution

Rate Limiting:

Standard Graph API rate limits apply. Use appropriate retry logic with exponential backoff.

Business Logic:

Only solution owners can reject requests for their solutions

Partnership rejections require the `partner_app_id` parameter

Rejection actions are permanent and cannot be undone through this API

Rejected requests may need to be resubmitted through proper channels

## Request Syntax

Try it

Select language

---

Select status code

---

Header Parameters

---

User-Agentstring

The user agent string identifying the client software making the request.

Authorizationstring·required

Bearer token for API authentication. This should be a valid access token obtained through the appropriate OAuth flow or system user token.

Path Parameters

---

Versionstring·required

Graph API version to use for this request. Determines the API behavior and available features.

Solution-IDstring·required

Your Multi-Partner Solution ID. This ID is provided when you create the solution and can be found in your Partner Dashboard or through solution management APIs.

Required

---

Content Type: `application/json`

Schema: `SolutionRejectRequest`

Show child attributes

---

`SolutionRejectRequest`

---

`request_type`One of "PARTNERSHIP\_REQUEST", "DEACTIVATION\_REQUEST"·required

Type of request being rejected

---

`rejection_reason`string

## Optional reason for rejecting the request

---

partner\_app\_idstring

The app ID of the requesting partner. Required when request\_type is PARTNERSHIP\_REQUEST, not used for DEACTIVATION\_REQUEST

Responses

---

Reject a pending partnership request or deactivation request for a Multi-Partner Solution. This endpoint allows solution owners to decline incoming requests and maintain control over their solution partnerships and lifecycle.

Use Cases:

Reject partnership requests from unauthorized or incompatible applications

Decline deactivation requests to keep solutions active

Maintain solution security and partnership quality

Control solution access and collaboration boundaries

Request Types:

PARTNERSHIP\_REQUEST: Reject an incoming partnership request from another app

DEACTIVATION\_REQUEST: Reject a request to deactivate the solution

Rate Limiting:

Standard Graph API rate limits apply. Use appropriate retry logic with exponential backoff.

Business Logic:

Only solution owners can reject requests for their solutions

Partnership rejections require the partner\_app\_id parameter

Rejection actions are permanent and cannot be undone through this API

Rejected requests may need to be resubmitted through proper channels

200

Successfully rejected the Multi-Partner Solution request

Content Type: application/json

Schema: SolutionRejectResponse

Show child attributes

---

## SolutionRejectResponse

---

successboolean·required

Indicates whether the rejection was successful

---

solution\_idstring·required

The ID of the Multi-Partner Solution

---

rejected\_request\_typeOne of "PARTNERSHIP\_REQUEST", "DEACTIVATION\_REQUEST"·required

Type of request that was rejected

---

rejection\_timestampstring (date-time)

ISO 8601 timestamp when the rejection was processed

---

partner\_app\_idstring

App ID of the partner whose request was rejected (for partnership rejections)

400

Bad Request - Invalid parameters or malformed request

Content Type: application/json

Schema: GraphAPIError

Show child attributes

---

GraphAPIError

---

errorobject·required

Show child attributes

---

messagestring·required

Human-readable error message

---

typestring·required

Error category type

---

codeinteger·required

Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

401

Unauthorized - Invalid or missing access token

Content Type: application/json

Schema: GraphAPIError

Show child attributes

---

GraphAPIError

---

errorobject·required

Show child attributes

---

messagestring·required

Human-readable error message

---

typestring·required

Error category type

---

codeinteger·required

Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

403

Forbidden - Insufficient permissions or not solution owner

Content Type: application/json

Schema: GraphAPIError

Show child attributes

---

GraphAPIError

---

errorobject·required

Show child attributes

---

messagestring-required

Human-readable error message

---

typestring-required

Error category type

---

codeinteger-required

Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

404

Not Found - Solution ID does not exist or request not found

Content Type: application/json

Schema: GraphAPIError

Show child attributes

---

GraphAPIError

---

errorobject-required

Show child attributes

---

messagestring-required

Human-readable error message

---

typestring-required

Error category type

---

codeinteger·required  
Numeric error code

---

error\_subcodeinteger  
More specific error subcode when available

---

fbtrace\_idstring  
Unique identifier for debugging and support requests with Meta

---

is\_transientboolean  
Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring  
User-friendly error title for display purposes

---

error\_user\_msgstring  
User-friendly error message for display purposes  
422  
Unprocessable Entity - Request cannot be processed due to business logic constraints  
Content Type: application/json  
Schema: GraphAPIError  
Show child attributes

---

GraphAPIError

---

errorobject·required  
Show child attributes

---

messagestring·required  
Human-readable error message

---

typestring·required  
Error category type

---

codeinteger·required  
Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

429

Too Many Requests - Rate limit exceeded

Content Type: application/json

Schema: GraphAPIError

Show child attributes

---

GraphAPIError

---

errorobject.required

Show child attributes

---

messagestring.required

Human-readable error message

---

typestring.required

Error category type

---

codeinteger.required

Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

500

Internal Server Error - Unexpected server error

Content Type: application/json

Schema: GraphAPIError

Show child attributes

---

GraphAPIError

---

errorobject.required

Show child attributes

---

messagestring.required

Human-readable error message

---

typestring.required

Error category type

---

codeinteger.required

Numeric error code

---

error\_subcodeinteger

More specific error subcode when available

---

fbtrace\_idstring

Unique identifier for debugging and support requests with Meta

---

is\_transientboolean

Indicates whether this error is temporary and the request should be retried

---

error\_user\_titlestring

User-friendly error title for display purposes

---

error\_user\_msgstring

User-friendly error message for display purposes

Select language

---

Select status code

---

# Authentication

Scheme	Type	Location
bearerAuth	HTTP Bearer	Header: <code>Authorization</code>

## Usage Examples

bearerAuth:

Include `Authorization: Bearer your-token-here` in request headers

## Global Authentication Requirements

All endpoints require:

bearerAuth

---

Revision #5

Created 2026-04-01 15:39:45 UTC by New Admin

Updated 2026-04-06 17:52:43 UTC by New Admin